

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 July 2003 (24.07.2003)

PCT

(10) International Publication Number
WO 03/059196 A3

(51) International Patent Classification⁷: **A61F 2/16**

(21) International Application Number: **PCT/US03/01268**

(22) International Filing Date: 14 January 2003 (14.01.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/348,708 14 January 2002 (14.01.2002) US

(71) Applicant (for all designated States except US): **ADVANCED MEDICAL OPTICS, INC.** [US/US]; 1700 E. St. Andrew Place, Santa Ana, CA 92799-5929 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BRADY, Daniel, G.** [US/US]; 30121 Saddleridge Drive, San Juan Capistrano, CA 92675 (US). **GWON, Arlene** [US/US]; 8 Trafalgar,

Newport Beach, CA 92660 (US). **GLICK, Robert, E.** [US/US]; 21882 Midcrest Drive, Lake Forest, CA 92630 (US).


(74) Agent: **GLUCK, Peter, J.**; Advanced Medical Optics, Inc., 1700 East St. Andrew Place, Santa Ana, CA 92799-5129 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI,

[Continued on next page]

(54) Title: **ACCOMMODATING INTRAOCULAR LENS WITH ELONGATED SUSPENSION STRUCTURE**



(57) Abstract: An intraocular lens (IOL) for insertion in a capsular bag of an eye includes an optic for focusing light and a movement assembly coupled to the optic. The movement assembly is adapted to cooperate with the capsular bag to effect accommodating movement of the optic. The movement assembly includes one or more elongated fixation members coupled to a periphery of the optic and adapted to convert radial movement of the capsular bag to axial movement of the optic. The fixation members extend spirally at least half-way around the optic. Angled transition sections may be provided between each fixation member and the optic periphery. The anterior and posterior edges of the optic periphery may have relatively sharp angles to reduce epithelial cell growth.



SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

(88) Date of publication of the international search report:

11 December 2003

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 03/01268

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61F2/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4 880 427 A (ANIS AZIZ Y) 14 November 1989 (1989-11-14) figures 3,4,6,9 column 3, line 12 - column 4, line 50 -----	1-8
X	FR 2 666 504 A (GUERIN DANIEL) 13 March 1992 (1992-03-13) figure 1 page 3, line 5 - page 4, line 20 -----	1-3,6
X	EP 0 402 825 A (WILD VICTOR F) 19 December 1990 (1990-12-19) figure 6 page 4, column 6, line 30 - line 53 -----	1,4-6
P,X	US 6 364 906 B1 (BAIKOFF GEORGES ET AL) 2 April 2002 (2002-04-02) column 4, line 9 - column 7, line 9 -----	1-3

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

23 April 2003

Date of mailing of the international search report

03.11.2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Mary, C.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 03/01268

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-8

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-8

An intraocular lens comprising an optic and a fixation member attached to the optic periphery and extending outward therefrom generally spirally around at least half of the optic.

2. claims: 9-14

An intraocular lens comprising an optic divided by a meridian plane and a pair of fixation members attached to the optic periphery, each on a different half of the optic periphery divided by the meridian plane.

3. claims: 15-21

An intraocular lens comprising an optic, a fixation member and a transition member connecting the fixation member to the optic in order that the fixation member extends generally in a plane parallel to the optic plane but displaced therefrom along the optical axis in the anterior direction.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 03/01268

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4880427	A	14-11-1989	NL 8500527 A	16-01-1986
			US 4804361 A	14-02-1989
			US 4878911 A	07-11-1989
			US 4963149 A	16-10-1990

FR 2666504	A	13-03-1992	FR 2666504 A1	13-03-1992

EP 0402825	A	19-12-1990	US 4923468 A	08-05-1990
			EP 0402825 A1	19-12-1990
			JP 3026250 A	04-02-1991

US 6364906	B1	02-04-2002	FR 2754444 A1	17-04-1998
			DE 69713789 D1	08-08-2002
			DE 69713789 T2	15-05-2003
			EP 0935448 A1	18-08-1999
			ES 2179373 T3	16-01-2003
			WO 9815239 A1	16-04-1998
			JP 2001501520 T	06-02-2001

June 17, 2004

Barry L. Copeland

Intellectual Property Law and R&D Counsel

Telephone Call

File: Sol Harrison

I spoke today with Eugene Renz (Gene) (610/565-6090). Mr. Renz said that Dr. Harrison had been referred to him by Dave Weinstein and that he was attempting to get background facts so that he could advise Dr. Harrison. He said that Bill Swartze had confirmed that Alcon had entered an agreement with David Soll that involved payment of significant amounts. He asked that I could confirm the agreement. I told him that I could confirm that there had been an agreement, however, I added that I would need to review the agreement to see whether it contained confidentiality provisions that would preclude me from disclosing any of the substantive terms. He kept pressing for details of the deal, and I continued to tell him that I would have to review the agreement first to see if I was at liberty to disclose anything at all. I also told him that I might call Bill Swartze to determine what information Dr. Soll might have already provided or might be agreeable to providing.

Mr. Renz said that he disagreed with the position taken in the letter from Bob Stevens, specifically the assertion that attempts by Dr. Harrison to use a "viscoat" like product would be considered willful infringement of Alcon's patents. I told him that the statement in Mr. Stevens' letter was absolutely correct and provided him with the patent number for Alcon's Chang patent. He said that he had not been aware of the existence of this patent.

He said that in his experience this would be the time to try to reach an amicable business resolution rather than initiating litigation. I told him that we were always willing to listen and certainly would prefer an amicable business resolution over litigation, but I added that Dr. Harrison's evaluation of the patents was way out of line with ours and that we would be content to continue honoring the original agreement. He asked me to get back to him to confirm what I could about the details of the Soll agreement. I told him I would do so, but I added that the considerations that went into the Soll agreement were very different from those that exist with respect to Harrison. I did not elaborate, but a key difference is that Soll was demanding royalties on worldwide sales. To my knowledge Harrison has no such claim.

I intend to call Bill Swartze to determine what was said and to learn what, if any, further information they would be willing to disclose.

Barry L. Copeland
Ext. 4322

/df

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 July 2003 (24.07.2003)

PCT

(10) International Publication Number
WO 03/059196 A2

(51) International Patent Classification⁷: **A61F**

(21) International Application Number: **PCT/US03/01268**

(22) International Filing Date: 14 January 2003 (14.01.2003)

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
60/348,708 14 January 2002 (14.01.2002) **US**

(71) Applicant (for all designated States except US): **ADVANCED MEDICAL OPTICS, INC.** [US/US]; 1700 E. St. Andrew Place, Santa Ana, CA 92799-5929 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BRADY, Daniel, G.** [US/US]; 30121 Saddleridge Drive, San Juan Capistrano,

CA 92675 (US). **GWON, Arlene** [US/US]; 8 Trafalgar, Newport Beach, CA 92660 (US). **GLICK, Robert, E.** [US/US]; 21882 Midcrest Drive, Lake Forest, CA 92630 (US).


(74) Agent: **GLUCK, Peter, J.**; Advanced Medical Optics, Inc., 1700 East St. Andrew Place, Santa Ana, CA 92799-5129 (US).

(81) Designated States (*national*): AE, AG, AI., AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

[Continued on next page]

(54) Title: **ACCOMMODATING INTRAOCULAR LENS WITH ELONGATED SUSPENSION STRUCTURE**



(57) Abstract: An intraocular lens (IOL) for insertion in a capsular bag of an eye includes an optic for focusing light and a movement assembly coupled to the optic. The movement assembly is adapted to cooperate with the capsular bag to effect accommodating movement of the optic. The movement assembly includes one or more elongated fixation members coupled to a periphery of the optic and adapted to convert radial movement of the capsular bag to axial movement of the optic. The fixation members extend spirally at least half-way around the optic. Angled transition sections may be provided between each fixation member and the optic periphery. The anterior and posterior edges of the optic periphery may have relatively sharp angles to reduce epithelial cell growth.



European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*

**ACCOMMODATING INTRAOCULAR LENS WITH
ELONGATED SUSPENSION STRUCTURE**

Related Application

This application claims the benefit of provisional application serial no. 60/348,708, filed January 14, 2002. The disclosure of which is incorporated in its entirety
5 herein by reference.

Background of the Invention

The present invention relates to intraocular lenses (IOLs). More particularly, the present invention relates
10 to IOLs that provide accommodating movement in the eye.

The human visual system includes the eyes, the extraocular muscles which control eye position within the eye socket, the optic and other nerves that connect the eyes to the brain, and particular areas of the brain that
15 are in neural communication with the eyes. Each eye forms an image upon a vast array of light sensitive photoreceptors of the retina. The cornea is the primary refracting surface which admits light through the anterior part of the outer surface of the eye. The iris contains
20 muscles which alter the size of the entrance port of the eye, or pupil. The crystalline lens has a variable shape within the capsular bag, under the indirect control of the ciliary muscle. Having a refractive index higher than the surrounding media, the crystalline lens gives the eye a
25 variable focal length, allowing accommodation to objects at varying distances from the eye.

Much of the remainder of the eye is filled with fluids and materials under pressure which help the eye maintain

its shape. For example, the aqueous humor fills the anterior chamber between the cornea and the iris, and the vitreous humor fills the majority of the volume of the eye in the vitreous chamber behind the lens. The crystalline lens is contained within a third chamber of the eye, the posterior chamber, which is positioned between the anterior and vitreous chambers.

The human eye is susceptible to numerous disorders and diseases, a number of which attack the crystalline lens. For example, cataracts mar vision through cloudy or opaque discoloration of the lens of the eye. Cataracts often result in partial or complete blindness. If this is the case, the crystalline lens can be removed and replaced with an intraocular lens, or IOL.

While restoring vision, conventional IOLs have limited ability for accommodation (i.e., the focusing on near objects). This condition is known as presbyopia. To overcome presbyopia of an IOL, a patient may be prescribed eyeglasses. Alternative attempts in the art to overcome presbyopia focus on providing IOLs with accommodation ability. Accommodation may be accomplished by either changing the shape of the IOL, e.g., to become more convex to focus on near objects, or by moving the IOL along its optical axis. Examples of this latter approach are disclosed in Gwon et al. U.S. Patent No. 6,176,878 and Laguette et al. U.S. Patent No. 6,406,494.

While many of the prior art approaches provide partial accommodation, a need still exists for an improved IOL configuration that allows sufficient forward axial movement to achieve full-range accommodation.

In view of the foregoing, it would be beneficial in the art to provide IOLs adapted for sufficient

accommodation to reduce significantly (or to overcome) the effects of presbyopia.

Summary of the Invention

5 The present invention provides new and enhanced intraocular lenses (IOLs). The present IOLs enhance accommodation of an optic. More specifically, the IOLs of the present invention enhance accommodation by converting radial movement of the capsular bag to axial movement of an
10 optic.

 In accordance with one aspect of the present invention, an intraocular lens comprises an optic having a circular periphery centered on an optical axis. The optic is adapted to focus light toward a retina of an eye and
15 provide a vision correction. A fixation member attaches to the optic periphery and extends outward therefrom, generally spirally around at least half of the optic. The fixation member desirably extends around at least three-quarters of the optic. The fixation member is longer than
20 previously available, and may have a length of at least about 6 mm.

 In one embodiment, there are two of the fixation members symmetrically disposed about a plane through the optical axis. A meridian plane passes through the optical
25 axis and divides the optic into leading and trailing halves. The meridian plane is perpendicular to the direction of insertion of the IOL. A leading one of the fixation members is at least partly located in the leading half of the IOL and attaches to the optic periphery on the
30 meridian plane or in the trailing half.

 In a preferred embodiment, the optic and fixation member are integrally formed as a single homogeneous piece.

In one version, the fixation member extends outward from the optic periphery and diverges into two beams that are sized to contact the interior of the capsular bag of the eye and provide accommodating movement to the optic. Furthermore, the optic periphery desirably has a relatively sharp posterior edge to prevent epithelial cell growth onto the optic.

In accordance with another aspect of the present invention, an intraocular lens (IOL), comprises an optic having a circular periphery centered on an optical axis. The optic is adapted to focus light toward a retina of an eye and provide a vision correction. A meridian plane passes through the optical axis and divides the IOL into leading and trailing halves. Finally, a pair of fixation members attaches to the optic periphery; a leading fixation member is attached either on the meridian plane or in the trailing half of the IOL, and a trailing fixation member is attached either on the meridian plane or in the leading half of the IOL. Further, the fixation members are both sized to contact the interior of the capsular bag of the eye and adapted to provide accommodating movement to the optic.

The fixation members each preferably extend around at least three-quarters of the optic, and each have a length of at least about 6 mm. Desirably, the optic and fixation members are integrally formed as a single homogeneous piece.

Each fixation member preferably has an inner end adjacent the optic periphery and an outer end configured to contact the interior of the capsular bag of the eye. The outer end of the leading fixation member is in the leading half of the IOL and the outer end of the trailing fixation

member is in the trailing half of the IOL.

Each fixation member may have an inner end adjacent the optic periphery and an outer end configured to contact the interior of the capsular bag of the eye, wherein the
5 IOL further includes a transition section interposed between the inner ends of the fixation members and the optic periphery. Each transition section is angled with respect to the optical axis so as to offset the inner ends of each fixation member from an optic plane passing through
10 the center of the optic and perpendicular to the optical axis.

In accordance with a still further aspect of the present invention, an intraocular lens is provided that comprises an optic, a fixation member, and a transition
15 section therebetween. The optic has a circular periphery centered on an optical axis and focuses light toward a retina of an eye and provides a vision correction. The optic further has an anterior face and a posterior face spaced apart on opposite sides of an optic plane
20 perpendicular to the optical axis. The fixation member has an inner end and an outer end. The transition section lies between the fixation member inner end and the optic periphery and has an inner portion connected to the optic periphery and an outer portion connected to the fixation
25 member. The outer portion is displaced along the optical axis with respect to the inner portion in an anterior direction. Furthermore, the fixation member extends generally in a plane parallel to the optic plane but displaced therefrom along the optical axis in the anterior
30 direction.

Preferably, the optic periphery has a relatively sharp posterior edge, and may also have a relatively sharp

anterior edge. In one embodiment, there are two of the fixation members and transition sections diametrically opposed across the optic. Moreover, each of the fixation members may extend generally spirally about halfway around the optic.

Each and every feature described herein, and each and every combination of two or more of such features, is included within the scope of the present invention provided that the features included in such a combination are not mutually inconsistent.

Additional aspects, features, and advantages of the present invention are set forth in the following description and claims, particularly when considered in conjunction with the accompanying drawings in which like parts bear like reference numbers.

Brief Description of the Drawings

Fig. 1 is a vertical cross-section of an eye illustrating an exemplary intraocular lens of the present invention positioned within the capsular bag;

Fig. 2 is a cross-section similar to Fig. 1 showing forward or anterior movement of an optic of the intraocular lens;

Fig. 3 is a perspective view of the exemplary intraocular lens of the present invention;

Fig. 4 is a sectional view of one half of the intraocular lens of Fig. 3 taken radially through the optic and then through one of the fixation members;

Fig. 5 is a plan view of the exemplary intraocular lens of Fig. 3;

Fig. 6 is a plan view of an alternative intraocular lens of the present invention;

Figs. 7-9 are schematic plan views of further alternative intraocular lenses of the present invention; and

Figure 10 is a schematic plan view of the alternative intraocular lens of the present invention having a single
5 fixation member that diverges into two outer ends.

Description of the Preferred Embodiments

Referring to the drawings in more detail, an intraocular lens (IOL) 20 according to an exemplary
10 embodiment of the present invention is illustrated in Figs. 1 and 2 after implantation in the capsular bag 22 of an eye. Exemplary IOL 20 includes an optic 24 and a movement assembly 26 coupled thereto. The optic 24, which has an optical axis OA, is adapted to focus light onto a retina of
15 an eye. The movement assembly 26 of exemplary IOL 20 cooperates with the eye to effect accommodating movement of the optic 24 and, in particular, converts radial movement (i.e., movement perpendicular to the optical axis OA) of the capsular bag of an eye to axial movement (i.e.,
20 movement parallel to the optical axis OA) of the optic 24. In the exemplary embodiment, the movement assembly 26 biases the optic 24 in a posterior direction (to the right) against the posterior wall of the capsular bag 22.

A brief description of the anatomy of the eye is
25 appropriate in order to understand the invention. The capsular bag 22 resides in the posterior chamber of the eye and is in direct contact with the jelly-like vitreous humor 28 which fills the nearly spherical space between the capsular bag and the retina (not shown). In a healthy
30 person, the capsular bag 22 contains the natural crystalline lens which transmits light passing through the orifice of the iris 30 to the retina. The capsular bag 22

is connected to an annular ciliary muscle 34 by suspensory ligaments or zonules 36. The ciliary muscle 34 is the chief agent in accommodation, i.e., in adjusting the eye to focus on near objects. The zonules 36 retain the lens in position and are relaxed by the contraction of the ciliary muscle 34, thereby allowing a natural crystalline lens to become more convex.

Applying this anatomy to the present invention, exemplary IOL 20 is configured to facilitate movement of the optic 24 in response to the action of the ciliary muscle 34 and the zonules 36. When the ciliary muscle 34 constricts inward the zonules 36 relax and reduce the equatorial diameter of the capsular bag 22, wherein the optic 24 translates in the posterior direction against the rear wall of the capsular bag 22. Conversely, when the ciliary muscle 34 relaxes, the zonules 36 tense and increase the equatorial diameter of the capsular bag 22, thereby moving the optic 24 in the anterior direction. In the illustrated embodiment, the optic 24 is biased against the rear wall of the capsular bag 22 at all times, and axial movement of the optic from the action of the ciliary muscle 34 is primarily governed by the position of the rear wall. That is, changes in pressure of the vitreous humor 28 act on the rear wall of the capsular bag 22 and cause it to translate in the axial direction. For example, Fig. 2 illustrates forward movement of the optic 24 from increase in pressure of the vitreous humor 28. One advantage of the present invention is that the optic 24 remains biased against the rear wall of the capsular bag 22 yet can accommodate substantial forward or anterior movement because of long fixation members.

Figs. 3-5 illustrate the exemplary IOL 20 in perspective, half-section, and plan view, respectively. The posterior aspect of the IOL 20 is seen in Fig. 3 such that a posterior face 40 of the optic 24 faces out of the page. A generally circular periphery or peripheral edge 42 defines the radially outer extent of the optic 24 and separates the posterior face 40 from an anterior face 44 (see Fig. 4). The optic 24 is typically circular, but may exhibit a different shape as long as the optical correction character is centered about the optical axis OA. As seen in Fig. 4, both the posterior face 40 and anterior face 44 are convex such that the optic 24 is considered bi-convex. Of course, those of skill in the art will understand that the anterior and posterior faces can take other shapes, such as planar or concave. In any event, the posterior face 40 and anterior face 44 are spaced apart on opposite sides of an optic plane 45 that extends perpendicular to the optical axis OA. In other words, the optic 24 is centered on and oriented in the optic plane 45.

As best seen in Figs. 3 and 5, the movement assembly 26 comprises a pair of fixation members 50a, 50b connected to and extending radially outward from the circular periphery 42 of the optic 24. A transition section 52 is interposed between each of the fixation members 50a, 50b and the periphery 42. The transition section 52 can be seen in Fig. 4 and extends at an angle θ in an anterior direction with respect to the optic plane 45. In a preferred embodiment, θ is approximately 15° .

As seen in Figs. 3 and 4, each fixation member 50a, 50b has a proximal end 54 connected to the respective transition section 52a, 52b, an accommodating beam 56, and a stabilizing arm 58 terminating in a distal end 60. The

accommodating beam 56 is substantially wider in plan view than the stabilizing arm 58 and is connected thereto at a relatively thin living hinge 62. Each fixation member 50a, 50b is desirably oriented in a plane that is spaced from the optic plane by virtue of the angled transition section 52. The fixation members 50a, 50b are desirably co-planar, but may be slightly angled with respect to one another.

Although controlled fibrosis (i.e., cellular growth) on the stabilizing arm 58 may be desirable, the IOLs 20 of the invention inhibit cell growth, particularly epithelial cell growth, onto the optic 24. This is accomplished by configuring the periphery 42 of the optic 24 with mechanical barriers such as relatively sharp posterior and anterior edges 64 shown in Figs. 3 and 4. The proliferation of unwanted epithelial cell growth may also be inhibited through the use of material properties.

The fixation members 50a, 50b of the IOL 20 are substantially longer than previous fixation members. When there are two fixation members, the surgeon typically identifies them as leading and trailing with reference to their orientation during the implant procedure. The accepted technique is to insert, through the incisions in the cornea and the capsular bag, a first or leading one of the fixation members, then the optic, then the other or trailing fixation member. With respect to Fig. 5, a meridian plane 70 is drawn that divides the IOL 20 into a leading half to the left, and a trailing half to the right. The primary location of the fixation members 50a, 50b on either side of the meridian plane 70 determines whether they are leading or trailing. Therefore, because the fixation member 50a is primarily located on the left of the meridian plane 70, it is considered to be the leading

member, while the trailing fixation member is indicated as 50b. Alternatively, the location of the terminal end 60 may signify whether the corresponding fixation member 50 is leading or trailing.

5 The present invention provides long fixation members 50a, 50b by virtue of the leading fixation member 50a attaching to the optic periphery 42 along the meridian plane 70 or in the trailing half. Likewise, the trailing fixation member 50b attaches to the optic periphery 42
10 along the meridian plane 70 or in the leading half, and is thus longer than previous fixation members. In terms of absolute length, each of fixation members 50a, 50b is at least 6 mm long from its inner end 54 to its outer end 60.

Fig. 6 illustrates an alternative IOL 80 of the
15 present invention that is in many ways similar to the IOL 20 illustrated in Figs. 3-5. In particular, the IOL 80 has a generally circular optic 82, having a periphery 84 from which a pair of fixation members 86a, 86b extend outward. As in the first embodiment, angled transition
20 sections 88a, 88b locate the fixation members 86a, 86b out of the optic plane (parallel to the page) in the anterior direction.

A meridian plane 90 extending through the optical axis OA divides the IOL 80 into a leading half on the left, and
25 a trailing half on the right. Again, the halves of the IOL are determined by the orientation of the fixation members 86a, 86b during implant, such that the surgeon inserts the fixation member 86a first through the incisions in the eye. As in the earlier embodiment, the fixation members
30 are relatively long. More particularly, the leading fixation member 86a connects to the optic periphery 84 along the meridian plane 90 or in the trailing half.

Likewise, the trailing fixation member 86b connects to the optic periphery 84 along the meridian plane 90 or in the leading half. As can be seen by comparing Figs. 5 and 6, the transition sections 88a, 88b are located closer to the meridian plane 90 in the alternative embodiment than the
5 corresponding elements were in the first embodiment.

Figs. 7-9 schematically illustrate intraocular lenses that have two fixation members extending spirally around an optic.

10 An IOL 100 of Fig. 7 has a leading fixation member 102a and a trailing fixation member 102b, each of which spirally extends around approximately half the circumference of an optic 104. Each fixation member 102 connects to the optic 104 along a meridian plane 106 that
15 divides the IOL 100 into leading (left) and trailing (right) halves. In this orientation, therefore, the IOL 100 is inserted to the left into the eye.

An IOL 110 of Fig. 8 has a leading fixation member 112a and a trailing fixation member 112b, each of which spirally extends around approximately three-quarters of the circumference of an optic 114. Each fixation member 112
20 connects to the optic 114 along a meridian plane 116 that divides the IOL 110 into leading (left) and trailing (right) halves. In this orientation, therefore, the IOL 110 is inserted to the left into the eye.

An IOL 120 of Fig. 9 has a leading fixation member 122a and a trailing fixation member 122b, each of which spirally extends around approximately the entire circumference of an optic 124. Each fixation member 122
30 connects to the optic 124 along a meridian plane 126 that divides the IOL 120 into leading (left) and trailing

(right) halves. In this orientation, therefore, the IOL 120 is inserted to the left into the eye.

Although the illustrated embodiments show two fixation members, only one, or three or more, may also be used. In this context, each fixation member is separately connected to the optic. Therefore, if there are multiple strands but only one point of connection, there is only one fixation member.

An example of a single fixation member IOL 130 with multiple strands is seen in Figure 10. A fixation member has an inner end 132 that connects to an optic 134. The fixation member splits into two accommodating beams 136a, 136b that extend approximately halfway around the circumference of the optic 132 to terminate at free ends 138, 138b. In this regard, the beams 136a, 136b are each longer than previous fixation members and thus permit greater accommodation movement of the optic 132. A meridian plane 140 again divides the IOL 130 into leading (left) and trailing (right) halves such that the IOL 130 inserts to the left and the free ends 138a, 138b of the beams 136a, 136b are on the trailing end.

For human implantation, the exemplary IOLs disclosed herein may be configured such that the amount of positive or near accommodation is preferably at least about 1 diopter and may range up to 3.5 diopters or more. Further, IOLs may be configured to provide at least about 2.0 mm of posterior axial movement in the eye with a reduction of about 2.0 mm in the equatorial diameter of the capsular bag 22 caused by the ciliary muscle 34 and the zonules 36.

The optics may be constructed of rigid biocompatible materials such as polymethyl methacrylate (PMMA) or deformable materials such as silicone polymeric materials,

acrylic polymeric materials, hydrogel polymeric materials, and the like. The deformable materials allow the IOL to be rolled or folded for insertion through a small incision into the eye. Although the optic as shown is a refractive lens body, the present IOLs may include a diffractive lens body, and such embodiment is included within the scope of the present invention.

With reference to the first embodiment of Figs. 3-5, but also applicable to the other embodiment, the optic 24 is desirably integrally formed with the movement assembly 26 (i.e., fixation members 50a, 50b). That is, the fixation members 50a, 50b are formed of the same homogeneous biocompatible material as the optic 24, preferably polymeric materials such as polypropylene, silicone polymeric materials, acrylic polymeric materials, and the like. The movement assembly 26 is preferably deformable in much the same manner as the optic 24 to facilitate the passage of the IOL 20 through a small incision into the eye. The material or materials of construction from which the movement assembly 26 is made are chosen to provide the assembly with the desired mechanical properties, e.g., strength and deformability, to meet the needs of the particular application involved.

The IOL 20 may be inserted into the capsular bag 22 of a mammalian eye using conventional equipment and techniques, for example, after the natural crystalline lens is removed, using a phacoemulsification technique. The IOL 20 is preferably rolled or folded prior to insertion into the eye to be insertable through a small incision, for example, on the order of about 3.2 mm. After insertion, the IOL 20 may be positioned in the eye as shown in Fig. 1.

If the IOL 20 is to be implanted in an adult human eye, the optic 24 preferably has a diameter in the range of about 3.5 mm to about 7 mm and, more preferably, in the range of about 5 mm to about 6 mm. Further, the IOL 20 may
5 have an overall diameter, with the movement assembly 26 in an unstressed condition, of about 8 mm to about 11 mm or 12 mm. Additionally, the optic 24 preferably has a far-vision correction power for infinity in an un-accommodated state.

While the present invention has been described with
10 respect to various specific examples and embodiments, it is to be understood that the invention is not limited thereto and that it can be variously practiced within the scope of the following claims.

WHAT IS CLAIMED IS:

1. An intraocular lens for implantation in the capsular bag, comprising:
an optic having a circular periphery centered on an optical axis, the optic adapted to focus light toward a retina of an eye and provide a vision correction; and
5 a fixation member attached to the optic periphery and extending outward therefrom generally spirally around at least half of the optic, the fixation member being sized to contact the interior of the capsular bag of the eye and
10 adapted to enhance accommodating movement of the optic.
2. The intraocular lens of claim 1, wherein the fixation member extends around at least three-quarters of the optic.
3. The intraocular lens of claim 1, wherein the fixation member has a length of at least about 6 mm.
4. The intraocular lens of claim 1, wherein there are two of the fixation members symmetrically disposed about a plane through the optical axis.
5. The intraocular lens of claim 4, further including a meridian plane defined to pass through the optical axis and divide the optic into leading and trailing halves, the meridian plane being perpendicular to the
5 direction of insertion of the IOL, wherein a leading one of the fixation members is at least partly located in the leading half of the IOL and attaches to the optic periphery on the meridian plane or in the trailing half.

6. The intraocular lens of claim 1, wherein the optic and fixation member are integrally formed as a single homogeneous piece.

7. The intraocular lens of claim 1, wherein the fixation member extends outward from the optic periphery and diverges into two beams that are sized to contact the interior of the capsular bag of the eye and provide
5 accommodating movement to the optic.

8. The intraocular lens of claim 1, wherein the optic periphery has a relatively sharp posterior edge.

9. An intraocular lens (IOL), comprising:
an optic having a circular periphery centered on an optical axis, the optic adapted to focus light toward a retina of an eye and provide a vision correction;
5 a meridian plane defined to pass through the optical axis and divide the IOL into leading and trailing halves; and
a pair of fixation members attached to the optic periphery, a leading fixation member being attached either
10 on the meridian plane or in the trailing half of the IOL, and a trailing fixation member being attached either on the meridian plane or in the leading half of the IOL, both of the fixation members being sized to contact the interior of the capsular bag of the eye and adapted to enhance
15 accommodating movement of the optic.

10. The intraocular lens of claim 9, wherein the fixation members each extend around at least three-quarters

of the optic.

11. The intraocular lens of claim 9, wherein each fixation member has a length of at least about 6 mm.

12. The intraocular lens of claim 9, wherein the optic and fixation members are integrally formed as a single homogeneous piece.

13. The intraocular lens of claim 9, wherein each fixation member has an inner end adjacent the optic periphery and an outer end configured to contact the interior of the capsular bag of the eye, and wherein the
5 outer end of the leading fixation member is in the leading half of the IOL and the outer end of the trailing fixation member is in the trailing half of the IOL.

14. The intraocular lens of claim 9, wherein each fixation member has an inner end adjacent the optic periphery and an outer end configured to contact the interior of the capsular bag of the eye, and further
5 including a transition section interposed between the inner ends of the fixation members and the optic periphery, each transition section being angled with respect to the optical axis so as to offset the inner ends of each fixation member from an optic plane passing through the center of the optic
10 and perpendicular to the optical axis.

15. An intraocular lens, comprising:

an optic having a circular periphery centered on an optical axis, the optic adapted to focus light toward a retina of an eye and provide a vision correction, the optic

- 5 having an anterior face and a posterior face spaced apart
on opposite sides of an optic plane perpendicular to the
optical axis;
a fixation member having an inner end and an outer
end; and
- 10 a transition section between the fixation member inner
end and the optic periphery, the transition section having
an inner portion connected to the optic periphery and an
outer portion connected to the fixation member, the outer
portion being displaced along the optical axis with respect
15 to the inner portion in an anterior direction, and wherein
the fixation member extends generally in a plane parallel
to the optic plane but displaced therefrom along the
optical axis in the anterior direction.

16. The intraocular lens of claim 15, wherein the optic periphery has a relatively sharp posterior edge.



17. The intraocular lens of claim 15, wherein the optic periphery has a relatively sharp anterior edge.






18. The intraocular lens of claim 15, wherein there are two of the fixation members and transition sections diametrically opposed across the optic.

19. The intraocular lens of claim 18, wherein each of the fixation members extends generally spirally about the optic.

20. The intraocular lens of claim 19, wherein each of the fixation members extends at least about halfway around the optic.

21. The intraocular lens of claim 15, wherein the fixation member is displaced by approximately 15° from the optic plane.








Fig. 7




Fig. 8




Fig. 9




Fig. 10